



**CAUSTIC SODA**

**1. Product and Company Identification**

Material name	CAUSTIC SODA
Chemical name	Sodium hydroxide
Applications	Alkalinity Control
Supplier	Sysbex Exports Mumbai – 400072.

**2. Composition / Information on Ingredients**

Components	CAS #	Percent
SODIUM HYDROXIDE	1310-73-2	100
Non-hazardous and other components below reportable levels		0
Composition comments	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	

**3. Hazards Identification**

Emergency overview	May cause severe irritation or burns to the eyes, skin, gastrointestinal tract, and respiratory system. Risk of serious damage to eyes.
Potential health effects	
Routes of exposure	Inhalation. Skin contact. Eye contact.
Eyes	Causes severe eye burns. Corrosive to the eyes and may cause severe damage including blindness.
Skin	Contact causes severe skin irritation and possible burns.
Inhalation	Can cause severe respiratory irritation. Inhalation of mists or vapors may produce upper airway edema, wheezing, pulmonary edema, pneumonitis and respiratory failure.
Ingestion	Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. Ingestion of this product may cause nausea, vomiting and diarrhea.
Target organs	Eyes. Respiratory system. Skin.
Chronic effects	Prolonged skin contact may defat the skin and produce dermatitis.

**4. First Aid Measures**

First aid procedures	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Wash affected area with mild soap and water. Remove and isolate contaminated clothing and shoes. Get medical attention immediately. Launder contaminated clothing before reuse.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately.
Ingestion	Immediately give large quantities of water to drink. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Get medical attention immediately.
General advice	Keep victim warm. In case of shortness of breath, give oxygen. Immediate medical attention is required. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

**5. Fire Fighting Measures**

Flammable properties	None known.
Extinguishing media	
Suitable extinguishing media	Do not use water. Use extinguishing agent suitable for type of surrounding fire.



## Protection of firefighters

### Protective equipment for firefighters

Move containers from fire area if you can do it without risk. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

## 6. Accidental Release Measures

Evacuation procedures	Ventilate closed spaces before entering. Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained.
Methods for containment	Prevent entry into waterways, sewers, basements or confined areas. Stop the flow of material, if this is without risk.
Methods for cleaning up	Shovel or sweep up. Avoid dust formation.

## 7. Handling and Storage

Handling	Handle and open container with care. Avoid breathing dusts from this material. Do not get this material in your eyes, on your skin, or on your clothing. Wash hands after handling and before eating. Considerable heat is generated when water or acid is added, therefore when making solutions always add the caustic to the water or acid with constant stirring.
Storage	Use care in handling/storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep this material away from food, drink and animal feed. Keep out of the reach of children.

## 8. Exposure Controls / Personal Protection

### Exposure guidelines

ACGIH - Threshold Limits Values - Ceilings (TLV-C)

SODIUM HYDROXIDE 1310-73-2 2 Mg/m3 Ceiling

ACGIH - Threshold Limits Values - TLV Basis - Critical Effects

SODIUM HYDROXIDE 1310-73-2 irritation

OSHA - Final PELs - Time Weighted Averages (TWAs)

SODIUM HYDROXIDE 1310-73-2 2 Mg/m3 TWA

**Engineering controls** Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

### Personal protective equipment

**Eye / face protection** Wear chemical goggles. Face-shield. Eye wash fountain and emergency showers are recommended.

**Skin protection** Use of protective coveralls and long sleeves is recommended. Use of impervious boots is recommended. Use of an impervious apron is recommended. Recommended gloves include rubber, neoprene, nitrile or viton.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**General hygiene considerations** Avoid contact with the skin and the eyes. Keep away from food and drink. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product.

## 9. Physical and Chemical Properties

Appearance / Color / Form	Pellets. White. Solid.
Odor	Odourless.
Clarity	Not available
Odor threshold	Not available
Physical state	Solid
pH	12, conc: 0.05% (solution); 13, conc: 1% (solution); 14, conc: 5% (solution)
Melting point	604.4 °F (318 °C) estimated
Freezing point	Not available
Boiling point	2534 °F (1390 °C) estimated
Flash point	Not available
Evaporation rate	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	0 HPa at 20 °C
Vapor density	Not available

Material name: CAUSTIC SODA

Specific gravity	2.13 @20 C
Relative density	2.1322 estimated
Solubility	Soluble in water.
Octanol/H2O coeff	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Molecular weight	40.01 g/mol
Molecular formula	NaOH

## 10. Chemical Stability and Reativity Information

Chemical stability	Stable at normal conditions.
Conditions to avoid	Avoid contact with water. Direct contact with water may cause an exothermic reaction
Incompatible materials	Alkali sensitive metals or alloys including aluminum, brass, bronze, copper, lead, tin, and zinc. Acids. Halogenated compounds.
Hazardous decomposition products	None known.
Possibility of hazardous reactions	Will not occur.

## 11. Toxicological Information

Acute effects	Causes severe burns.
Component analysis - LD50	
Toxicology Data - Selected LD50s and LC50s	
SODIUM HYDROXIDE	1310-73-2 Dermal LD50 Rabbit: 1350 mg/kg
Chronic effects	Prolonged or repeated exposure may cause lung injury. Prolonged skin contact may defat the skin and produce dermatitis.

## 12. Ecological Information

Ecotoxicity	Because of the high pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.
Environmental effects	Harmful to aquatic life.
Persistence / degradability	This material is inorganic and not subject to biodegradation.
Bioaccumulation /accumulation	Not expected to bioaccumulate.

## 13. Disposal Considerations

Disposal instructions	Dispose in accordance with all applicable regulations.
-----------------------	--

## 14. Transport Information

### Department of Transportation (DOT) Requirements

#### Basic shipping requirements:

Proper shipping name	Sodium hydroxide, solid
Hazard class	8
UN number	UN1823
Packaging group	II

#### Additional information:

Special provisions	IB8, IP2, IP4
Packaging exceptions	154
Packaging non bulk	212
Packaging bulk	240
ERG number	154



IATA

Basic shipping requirements:

Proper shipping name Sodium hydroxide, solid  
 Hazard class 8  
 UN number 1823  
 Packaging group II



IMDG

Basic shipping requirements:

Proper shipping name SODIUM HYDROXIDE, SOLID  
 Hazard class 8  
 UN number 1823  
 Packaging group II  
 Additional information:  
 Hazard ID 80  
 Item C6  
 Labels required 8  
 Transport Category 2



**15. Regulatory Information**

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.  
 All components are on the U.S. EPA TSCA Inventory List.

FDA - Direct Food Additives  
 SODIUM HYDROXIDE 1310-73-2 21 CFR 173.310

FDA - Food Additives Generally Recognized as Safe (GRAS)  
 SODIUM HYDROXIDE 1310-73-2 21 CFR 184.1763

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

CERCLA (Superfund) reportable quantity SODIUM HYDROXIDE: 1000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes  
 Delayed Hazard - No  
 Fire Hazard - No  
 Pressure Hazard - No  
 Reactivity Hazard - Yes

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (CCS)	Yes
Europe	European Inventory of New and Existing Chemicals (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Philippines	Japanese
Korea	United States & Puerto Rico	Inventory of
New Zealand		Existing and

New Chemical Substances  
(ENCS) Korean Inventory of  
Chemicals (KICS)  
New Zealand Inventory  
Philippine Inventory of  
Chemicals and Chemical  
Substances (PICCS) Toxic  
Substances Control Act (TSCA)  
Inventory

Yes Yes No Yes Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

---

International regulations                      The product is classified and labelled in accordance with EC directives or respective national laws.

State regulations

Massachusetts - Right To Know List		
SODIUM HYDROXIDE	1310-73-2	Present
New Jersey - Right to Know Hazardous Substance List		
SODIUM HYDROXIDE	1310-73-2	sn 1706
Pennsylvania - RTK (Right to Know) List		
SODIUM HYDROXIDE	1310-73-2	Environmental hazard

## 16. Other Information

HMIS ratings                                      Health: 3\*  
Flammability: 0  
Physical hazard: 2  
Personal protection: D

NFPA ratings                                      Health: 3  
Flammability: 0  
Instability: 2

Disclaimer                                        The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

